Anaesthesia

Journal of the Association of Anaesthetists of Great Britain and Ireland

Volume 48 (1993)

Editor M. MORGAN
Assistant Editors A. R. AITKENHEAD, D. E. F. NEWTON, R. A. MASON, M. HARMER, J. P. H. FEE
Editorial Board
Chairman The President of the Association W. R. MACRAE
Members A-M. ROLLIN, A. E. EDWARDS, SIR KEITH SYKES, D. J. WILKINSON and a representative of the Group of Anaesthetists in Training
Ex officio
The Honorary Treasurer of the Association W. L. M. BAIRD
The Honorary Secretary of the Association R. S. VAUGHAN
The Immediate Past Honorary Secretary of the Association J. E. CHARLTON

DIANE WINTERBURN, ANNE GRAHAM, Reference Librarians

© 1993 The Association of Anaesthetists of Great Britain and Ireland
Origination by BPCC Whitefriars Ltd, Tunbridge Wells, and printed and bound in Great Britain by
BPCC Wheatons Ltd, Exeter

Contents

Number 1, January 1993

EDITORIAL

Second thoughts on the train-of-four
S. Feldman 1

ORIGINAL ARTICLES

Critical incident reporting in an anaesthetic department quality assurance programme
T.G. Short, A. O'Regan, J. Lew and T.E. Oh 3

Inspiratory muscle effort during nasal intermittent positive pressure ventilation in patients with chronic obstructive airways disease
M.W. Elliott, D.A. Mulvey, J. Moxham, M. Green and M.A. Branthwaite 8

A cost-benefit analysis of intensive therapy
S. Ridley, M. Biggam and P. Stone 14

The effect of fentanyl administered epidurally by patient-controlled analgesia, continuous infusion, or a combined technique on oxyhaemoglobin saturation after abdominal surgery
H. Owen, M.T. Kluger, A.H. Ilsley, A.M. Baldwin, R.R.L. Fronsko and J.L. Plummer 20

Histamine release by morphine and diamorphine in man
D.E. Withington, J.A. Patrick and F. Reynolds 26

Growth of micro-organisms in solutions of intravenous anaesthetic agents
C.B. Berry, T. Gillespie, J. Hood and N.B. Scott 30

Training nursing staff in airway management for resuscitation. A clinical comparison of the facemask and laryngeal mask
P.D. Martin, A.M. Cyna, W.A.H. Hunter, J. Henry and G.P. Ramayya 33

Effects of halothane and isoflurane on beta-endorphin release in children
M.J. Garcia-Sanchez, A. Polo and F. Peran 38

Plasma volume estimation using indocyanine green. A single intravenous injection method
M.W. Busse, S. Zisowsky, S. Henschen, B. Panning and S. Piepenbrock 41

CASE REPORTS

Transverse myelitis following general anaesthesia
N.J. Gutowski and A.O. Davies 44

Development of a subdural motor blockade
F. Asato, K. Nakatani, Y. Matayoshi, Y. Katekawa and K. Chinen 46

Anaphylactoid reaction following local anaesthesia for epidural block
A.D. Thomas and J.A. Caunt 50

FORUM

An evaluation of gastric emptying times in pregnancy and the puerperium
E.M. Whitehead, M. Smith, Y. Dean and G. O'Sullivan 53

Prospective survey of the use of the laryngeal mask airway in 2359 patients
C. Verghese, T.G.C. Smith and E. Young 58

Lignocaine spray applicators are a potential source of cross-infection in the anaesthetic room
O.A. Williams, M.H. Wilcox, C.D. Nicol, R.C. Spencer and C.S. Reilly 61

Current practice of epidural analgesia during normal labour. A survey of maternity units in the United Kingdom
M.W. Davies, J.C. Harrison and T.D.R. Ryan 63

Use of EMLA cream for skin anaesthesia prior to epidural insertion in labour
S.J. Ralston and A.G. Head-Rapson 65

Incidence and magnitude of hypoxaemia with ketamine in a rural African hospital
L. Pederson and J. Benumof 67

Anaesthetic log books. How are they being used?
T.I. Strang 69

Estimation of the correct length of tracheal tubes in adults
N. Patel, R.P. Mahajan and F.R. Ellis 74

CORRESPONDENCE 76

BOOK REVIEWS 96

OBITUARIES 98

INTERNATIONAL CONGRESS CALENDAR 98

Number 2, February 1993

EDITORIAL

Percutaneous dilational tracheostomy. Completing the anaesthetist's range of airway techniques
A.R. Bodenham 101

ORIGINAL ARTICLES

Neuromuscular effects of rocuronium bromide (Org 9426) during fentanyl and halothane anaesthesia
R.A. Cooper, R.K. Mirakhur and V.R. Maddineni 103

A review of 2000 consecutive ICU admissions
A. Cohen, A. Bodenham and N. Webster 106

Propofol and fentanyl act additively for induction of anaesthesia
I. Ben-Shlomo, J. Finger, E. Bar-Av, A.Z. Perl, A. Etchin and M. Tverskoy 111

Effects of omeprazole, with and without metoclopramide, in elective obstetric anaesthesia
D.A. Orr, K.M. Bill, K.R.W. Gillon, C.M. Wilson, D.J. Fogarty and J. Moore 114

Can pre-emptive lumbar epidural blockade reduce postoperative pain following lower abdominal surgery?
B.J. Pryle, R.G. Vanner, N. Enriquez and F. Reynolds 120

Combined infusions of morphine and ketamine for postoperative pain in elderly patients
N.D. Edwards, A. Fletcher, J.R. Cole and J.E. Peacock 124

Epidural anaesthesia through caudal catheters for inguinal herniotomies in awake ex-premature babies
J.M. Peutrell and D.G. Hughes 128

Blood loss following tonsillectomy in children. A blind comparison of diclofenac and papaveretum
J. Thiagarajan, S. Bates, M. Hitchcock and J. Morgan-Hughes 132

CASE REPORTS

Pacemaker failure during transurethral resection of the prostate
N.H. Kellow 136

Subcutaneous emphysema in labour
Y. Jayran-Nejad 139

A case of acute poisoning due to organophosphate insecticide
Y. Kecik, D. Yorukoglu, B. Saygin and S. Sekerci 141

Sumatriptan relieves and prevents peri-operative migraine attacks
J.G. Hannington-Kiff 144

Skin necrosis following continuous positive airway pressure with a face mask
G.J. Smurthwaite and P. Ford 147

Cardiac arrest under anaesthesia in a child with previously undiagnosed Jervell and Lange-Nielsen syndrome
J.J. Holland 149

APPARATUS

Association of Anaesthetist's checklist for anaesthetic machines. Problem with detection of significant leaks
I.J.B. Jackson and R.J.T. Wilson 152

REVIEW ARTICLE

Pleural drainage systems
A.C. Kam, M. O'Brien and P.C.A. Kam 154

FORUM

Coeliac plexus block with bupivacaine reduces intestinal dysfunction in neurosurgical ICU patients
C. Weinstabl, P. Porges, B. Plainer, A. Werba, C.K. Spiss and H. Seitz 162

Audit of pre-operative starvation
A.R. Maclean and C. Renwick 164

CORRESPONDENCE 167

Number 3, March 1993

EDITORIAL

Checking anaesthetic machines—checklist or visual aids?
A.P. Adams and M. Morgan 183

ORIGINAL ARTICLES

Pharmocokinetic model-controlled infusion of midazolam. A prospective evaluation during general anaesthesia
T.G. Short, Y.H. Tam, P. Tan and T.E. Oh 187

Brainstem auditory evoked response during propofol anaesthesia in children
J.A.M. Purdie and P.M. Cullen 192

Extending a pipecuronium neuromuscular block. Increments of atracurium or vecuronium as an alternative to pipecuronium
S.P. Roberts, T.M. Ramsay, T.E.J. Healy, A. Wilson and B.J. Pollard 196

Comparison of recovery index of rocuronium or vecuronium with simultaneously administered pancuronium in the isolated forearm
W.J. Fawcett, N.J. Fauvel and S.A. Feldman 200

Closed loop control of arterial hypertension following intracranial surgery using sodium nitroprusside. A comparison of intra-operative halothane or isoflurane
A.F. Mackenzie, J.R. Colvin, G.N.C. Kenny and W.I.K. Bisset 202

Effect of extradural anaesthesia on the ventilatory response to hypoxaemia
S. Sakura, Y. Saito and Y. Kosaka 205

Sedation with propofol during surgery under local blockade. Assessment of a target-controlled infusion system
I.G. Skipsey, J.R. Colvin, N. Mackenzie and G.N.C. Kenny 210

The effect of oral ondansetron in the prevention of postoperative nausea and vomiting after major gynaecological surgery performed under general anaesthesia
J.P. Dupeyron, C. Conseiller, M. Levarlet, C. Hemmingsen, P. Schoeffler, F.M. Pedersen, B. Gribomont and L.A. Kaplan 214

The effect of the anaesthetist's attire on patient attitudes. The influence of dress on patient perception of the anaesthetist's prestige
N. Hennessy, D.A. Harrison and A.R. Aitkenhead 219

CASE REPORTS

The management of tracheal rupture using bilateral bronchial intubation
J.B. Mitchell and P.M. Ward 223

Continuous spinal anaesthesia in acute respiratory failure
D. Grace and D.A. Orr 226

A very small dose of suxamethonium relieves laryngospasm
D.C. Chung and S.J. Rowbottom 229

APPARATUS

A comparison of the laryngeal mask airway and Guedel airway, bag and facemask for manual ventilation following formal training
R. Alexander, P. Hodgson, D. Lomax and C. Bullen 231

The minilink breathing system: resistance and suitability for spontaneous ventilation
M.E. O'Meara S.B. Bhatt, D. Breen and N.R. Bennett 235

The rebreathing characteristics of the Hudson oxygen mask
N.T.A. Campkin, R.G. Ooi and N.C. Soni 239

Laboratory assessment of the Baxter disposable patient-controlled analgesia system
J.A.H. Davidson, C.M. Dryden and D.D. Smith 243

SPECIAL ARTICLE

Dural taps revisited. A 20-year survey from Birmingham maternity hospital
P.C. Stride and G.M. Cooper 247

FORUM

Patient-controlled analgesia with and without background infusion. Analgesia assessed using the demand: delivery ratio
E.P. McCoy, G. Furness and P.M.C. Wright 256

A comparison of propofol and methohexitone for dental chair anaesthesia in children
B. Ewah and C. Carr 260

Anaesthesia for procedures on the larynx and pharynx. The use of the Bullard laryngoscope in conjunction with high frequency jet ventilation
P. Mendel and A. Bristow 263

CORRESPONDENCE 266

Number 4, April 1993

EDITORIAL

Where now? The anaesthetist's development in management
E. Chalmers, I. McLellan, A. Naylor and T. Shaw 279

ORIGINAL ARTICLES

Dose–response for analgesic effect of amitriptyline in chronic pain
H.J. McQuay, D. Carroll and C.J. Glynn 281

Interaction of H_2-receptor antagonists and benzodiazepine sedation. A double-blind placebo-controlled investigation of the effects of cimetidine and ranitidine on recovery after intravenous midazolam
L.D. Sanders, C. Whitehead, C.D. Gildersleve, M. Rosen and J.O. Robinson 286

The effect of cardiopulmonary bypass on cholinesterase activity
E.S. Shearer and G.N. Russell 293

Topical nitroglycerine prevents the pressor response to tracheal intubation and sternotomy in patients undergoing coronary artery bypass graft surgery
R.P. Mahajan, R. Ramachandran and N. Saxena 297

The level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure: a study with vecuronium and atracurium
A. Werba, M. Klezl, W. Schramm, S. Langenecker, C. Müller, M. Gosch and C.K. Spiss 301

Leg elevation and wrapping in the prevention of hypotension following spinal anaesthesia for elective Caesarean section
C.C. Rout, D.A. Rocke and E. Gouws 304

Ventilatory effects of pneumoperitoneum monitored with continuous spirometry
G.I. Bardoczky, E. Engelman, M. Levarlet and P. Simon 309

The measurement of right ventricular ejection fraction by thermodilution. A comparison of values obtained using differing injectate ports
S. Cockroft and P.S. Withington 312

CASE REPORTS

Interpleural analgesia and phrenic nerve paralysis
G.R. Lauder 315

Delayed cutaneous fluid leak from the puncture hole after removal of an epidural catheter
M. Ennis and J.G. Brock-Utne 317

APPARATUS

The 'SiteRite' ultrasound machine—an aid to internal jugular vein cannulation
P.J. Armstrong, M. Cullen, D.H.T. Scott 319

The Miller tracheal cuff pressure control valve. Clinical use in controlled and spontaneous ventilation
K.A. Payne and D.M. Miller 324

FORUM

Epidural tramadol for postoperative pain relief
A.E. Delilkan and R. Vijayan 328

The effect of low dose aspirin on bleeding times
H.D. Williams R. Howard N. O'Donnell and I. Findley 331

Continuous subarachnoid infusion of local anaesthetic
C.P.J. Morton, P.J. Armstrong and J.H. McClure 333

A comparison of percutaneous and perconjunctival routes of administration of peri-ocular anaesthesia for day case cataract surgery
E.J. Sweeney, K. Barber and J.A. Prosser 336

Anaesthetists' attitudes to parental presence at induction of general anaesthesia in children
D.E.M. Roman, I. Barker and C. S. Reilly 338

Intermittent thiopentone for teaching fibreoptic nasotracheal intubation
S.M. Yentis, S. Jankowski and I.C. Gregory 340

CORRESPONDENCE 343

BOOK REVIEWS 362

OBITUARIES 364

INTERNATIONAL CONGRESS CALENDAR 364

Number 5, May 1993

EDITORIAL
Depth of anaesthesia
D.E.F. Newton 367

ORIGINAL ARTICLES
Isoflurane in labour
M.Y.K. Wee, M.A. Hasan and T.A. Thomas 369
Thyrotropin concentration predicts outcome in critical illness
P.M. Rothwell, Z.F. Udwadia and P.G. Lawler 373
Suxamethonium myalgia: an ethnic comparison with and without pancuronium pretreatment
I.T. Houghton, C.S.T. Aun, T. Gin, J.T.F. Lau and T.E. Oh 377
Pethidine has a local anaesthetic action on peripheral nerves *in vivo*. Addition to prilocaine 0.25% for intravenous regional anaesthesia in volunteers
P.J. Armstrong, C.P.J. Morton and A.F. Nimmo 382
Changes in blood flow and vascular resistance in the arm and leg during spinal anaesthesia and vasopressor therapy with methoxamine
D.J. Fogarty and J.P. Howe 387
Dermal patch anaesthesia: comparison of 10% lignocaine gel with absorption promoter and EMLA cream
M. Sakamoto, T. Kano, M. Sadanaga, O. Shimoda, T. Morioka, M. Mishima and M. Nakano 390
Zingiber officinale does not affect gastric emptying rate. A randomised, placebo-controlled, crossover trial
S. Phillips, S. Hutchinson and R. Ruggier 393
Infusion nomograms
E. Sherry, G.W. Burton and D.G. Wilkins 396

CASE REPORTS
Extradural air as a cause of paraplegia following lumbar analgesia
P.G. Nay, R. Milaszkiewicz and S. Jothilingam 402
Reduction of acute haemorrhage with aprotinin
S. Valentine, P. Williamson and D. Sutton 405

APPARATUS
Trans-septal left atrial catheterisation
T. Fukutome, M. Kohjiro, A. Sese and Y. Ueno 407
The parallel Lack anaesthetic breathing system
R. Ooi, J.A. Lack, N. Soni, J. Whittle and J. Pattison 409
An evaluation of the effect of vasodilatation on oxygen saturations measured by pulse oximetry and venous blood gas analysis
I.J. Broome, G.H. Mills, P. Spiers and C.S. Reilly 415

REVIEW ARTICLE
Anaesthesia for the porphyric patient
G.G. Harrison, P.N. Meissner and R.J. Hift 417

FORUM
A prospective randomised study of local versus general anaesthesia for cataract surgery
D.N.C. Campbell, M. Lim, M. Kerr Muir, G. O'Sullivan, M. Falcon, P. Fison and R. Woods 422
Local anaesthesia for eye surgery without a facial nerve block
A. Sanchez-Capuchino, D. Meadows and L. Morgan 428
Anaesthesia for gynaecological laparoscopy—a comparison between the laryngeal mask airway and tracheal intubation
D. G. Swann, H. Spens, S. A. Edwards and R. J. Chestnut 431
Deaths associated with dentistry and dental disease 1980–1989
M.P. Coplans and I. Curson 435

CORRESPONDENCE 439

BOOK REVIEWS 457

Number 6, June 1993

EDITORIAL

William Woolf Mushin, CBE, DSc, FRCS, FRCA, FANZCA, FFA(SA), DA
J.N. Lunn 461

ORIGINAL ARTICLES

The effects of midazolam on the EEG during sedation of critically ill patients
R.A. Veselis, R. Reinsel, P. Marino, S. Sommer and G.C. Carlon 463

A comparison between propofol and desflurane anaesthesia for minor gynaecological laparoscopic surgery
S.G. Graham and A.R. Aitkenhead 471

Alfentanil in daycase anaesthesia. Assessment of a single dose on the quality of anaesthesia and recovery
O.N.T. Bagshaw, P. Singh and A.R. Aitkenhead 476

Dexmedetomidine as intramuscular premedication in outpatient cataract surgery. A placebo-controlled dose-ranging study
M. Virkkilä, T. Ali-Melkkilä, J. Kanto, J. Turunen and H. Scheinin 482

The metabolic and hormonal response to cataract surgery. A comparison between retrobulbar and peribulbar blockade
J.P. Barker, G.C. Vafidis, P.N. Robinson, J.M. Burrin and G.M. Hall 488

The influence of diamorphine on spinal anaesthesia induced with isobaric 0.5% bupivacaine
H. Abuzaid, C. Prys-Roberts, D.G. Wilkins and D.M.S. Terry 492

CASE REPORTS

Intra-operative monitoring of cerebral haemodynamics in a patient with Takayasu's arteritis
M. Kawaguchi, H. Ohsumi, T. Nakajima and M. Kuro 496

Clinical features of neuroleptic malignant syndrome in basal ganglia disease. Spontaneous presentation in a patient with Hallervorden–Spatz disease in the absence of neuroleptic drugs
K. Hayashi, E. Chihara, T. Sawa and Y. Tanaka 499

Anaesthesia for airway obstruction in laryngo-onycho-cutaneous syndrome
U.M. Hodges and A. Lloyd-Thomas 503

Hyperthermia associated with 3,4-methylenedioxyethamphetamine ('Eve')
B. Tehan, R. Hardern and A. Bodenham 507

Fresh frozen plasma and edrophonium in a patient with a plasma cholinesterase deficiency
D.C. Smith, S.A. Ridley and K.F. Donaldson 511

Severe bronchospasm during epidural anaesthesia
C.Y. Wang and G.S.Y. Ong 514

APPARATUS

The levering laryngoscope
E.P. McCoy and R.K. Mirakhur 516

Bacterial filters protect anaesthetic equipment in a low-flow system
H.H. Luttropp and L. Berntman 520

FORUM

Atracurium after an anticholinesterase. Does prior reversal with edrophonium or neostigmine influence the response to atracurium?
G.D. Shorten and H.A. Ali 524

Peri-operative nightmares in surgical patients
J. Brimacombe and A.G. Macfie 527

Evaluation of an alternative method of blood sampling from arterial cannulae
A.M. Alford, C.B. Kirton and J.E. Peacock 530

CORRESPONDENCE 533

ANNUAL REPORT OF COUNCIL 1991–1992 546

ERRATUM

Intermittent thiopentone for teaching fibreoptic nasotracheal intubation
S.M. Yentis, S. Jankowski and I.C. Gregory 557

Number 7, July 1993

EDITORIAL

Histamine release and neuromuscular blocking drugs
J.M. Hunter 561

ORIGINAL ARTICLES

An evaluation of anaesthetic loss from a closed breathing system
G.G. Lockwood, M.K. Chakrabarti and J.G. Whitwam 564

Histamine release following atracurium in the elderly
G.D. Shorten, N.G. Goudsouzian and H.H. Ali 568

The effect of residual receptor occupancy on sensitivity to repeated vecuronium
N.T.A. Campkin, J.R. Hood, N.J. Fauvel and S.A. Feldman 572

The nasopharyngeal airway. Assessment of position by fibreoptic laryngoscopy
M.D. Stoneham 575

Anxiety levels following anaesthesia for day-case surgery. A comparison of State Anxiety Levels following induction of anaesthesia with propofol or thiopentone
M.A. Winwood and R.H. Jago 581

A comparison of diclofenac and ketorolac for postoperative analgesia following day-case arthroscopy of the knee joint
B. C. Morrow, H. Bunting and K. R. Milligan 585

CASE REPORTS

Vecuronium block in the myasthenic patient. Influence of anticholinesterase therapy
A. Baraka, S. Taha, V. Yazbeck and P. Rizkallah 588

The use of propofol in a child with hepatitis A
A. Shaw 591

The management of anaesthesia for Caesarean section in a patient with paroxysmal ventricular tachycardia
L.M. Field and F.L. Barton 593

Combined high frequency ventilation in the management of respiratory failure in late pregnancy
J.H. Raphael and M.D.R. Bexton 596

APPARATUS

The additional work of breathing imposed by Mapleson A systems
R. Ooi, J. Pattison and N. Soni 599

The Genius infrared tympanic thermometer. An evaluation for clinical use
G. Edge and M. Morgan 604

Noninvasive monitoring of respiratory volume. Experimental evaluation of a breath monitoring device
H.M. Amin, M. Cigada, W.E. Fordyce and E.M. Camporesi 608

The Finapres 2300e finger cuff. The influence of cuff application on the accuracy of blood pressure measurement
R.D.M. Jones, J.P. Kornberg, C.J. Roulson, A.R. Visram and M.G. Irwin 611

REVIEW ARTICLE

Breast feeding and anaesthesia
J.J. Lee and A. P. Rubin 616

FORUM

Myalgia and biochemical changes following suxamethonium after induction of anaesthesia with thiopentone or propofol
V.R. Maddineni, R.K. Mirakhur and A.R. Cooper 626

Does a bloody tap prevent postdural puncture headache?
K.J. Khan, P.C. Stride and G.M. Cooper 628

Orotracheal intubation in patients with potential cervical spine injuries. An indication for the gum elastic bougie
J.P. Nolan and M.E. Wilson 630

CORRESPONDENCE 634

BOOK REVIEWS 650

OBITUARIES 652

INTERNATIONAL CONGRESS CALENDAR 652

HAZARD NOTICE 654

ERRATUM 654

Number 8, August 1993

EDITORIAL

Setting standards for cardiopulmonary resuscitation
M.E. Ward 655

ORIGINAL ARTICLES

Implicit memory during balanced anaesthesia. Lack of evidence
A.E. Bonebakker, B. Bonke, J. Klein, G. Wolters and W.C.J. Hop 657

Propofol–fentanyl anaesthesia in cardiac surgery: a comparison in patients with good and impaired ventricular function
A.S. Phillips, T.J. McMurray, R.K. Mirakhur, F.M. Gibson and P. Elliott 661

Capnothorax: implications for the anaesthetist
C.J. Peden and C. Prys-Roberts 664

The distance between the grille of the laryngeal mask airway and the vocal cords. Is conventional intubation through the laryngeal mask safe?
T. Asai, I.P. Latto and R.S. Vaughan 667

Laryngeal mask airway insertion. A comparison of the standard versus neutral position in normal patients with a view to its use in cervical spine instability
J. Brimacombe and A. Berry 670

Fibreoptic intubation. Influence of tracheal tube tip design
H.E. Jones, A.C. Pearce and P. Moore 672

Lumbar plexus block: an anatomical study
M.H. Hanna, S.J. Peat and F. D'Costa 675

CASE REPORTS

Near fatal pulmonary hypertension after surgical repair of congenital diaphragmatic hernia. Successful use of inhaled nitric oxide
C.G. Frostell, P.A. Lönnqvist, S.E. Sonesson, L.E. Gustafsson, G. Löhr and G. Noack 679

Cardiorespiratory arrest following combined spinal epidural anaesthesia for Caesarean section
Y. Myint, P.W. Bailey and B.R. Milne 684

Inadvertent suppression of a fixed rate ventricular pacemaker using a peripheral nerve stimulator
D. O'Flaherty, M. Wardill and A.P. Adams 687

APPARATUS

A computer-controlled closed anaesthetic breathing system
G.G. Lockwood, M.K. Chakrabarti and J.G. Whitwam 690

Near infrared spectroscopy in adults. Does the Invos 3100 really measure intracerebral oxygenation?
D.N.F. Harris and S.M. Bailey 694

A comparison of two systems for assessing cerebral venous oxyhaemoglobin saturation during cardiopulmonary bypass in humans
R. Brown, G. Wright and D. Royston 697

Evaluation of pulse oximetry during cardiopulmonary resuscitation
M.J. Spittal 701

REVIEW ARTICLE

Beyond the lung: oxygen delivery and tissue oxygenation
N. Soni, W.J. Fawcett and F.C. Halliday 704

HISTORICAL NOTES

John Mervyn Nooth. An update and some Bath memorials
D. Zuck 712

FORUM

Zingiber officinale (Ginger)—an antiemetic for day case surgery
S. Phillips, R. Ruggier and S.E. Hutchinson 715

An audit of extradural infusion analgesia in children using bupivacaine and diamorphine
P.T.J. Wilson and A.R. Lloyd-Thomas 718

A combined chest drain and intrapleural catheter for post-thoracotomy pain relief
I.J. Broome, K.M. Sherry and C.S. Reilly 724

CORRESPONDENCE 727

Number 9, September 1993

EDITORIAL

Getting back to normal
J.P. Howard Fee 745

ORIGINAL ARTICLES

The uptake of isoflurane during anaesthesia
G.G. Lockwood, M.K. Chakrabarti and J.G. Whitwam 748

Intranasal fentanyl titration for postoperative pain management in an unselected population
H.W. Striebel, J. Pommerening and A. Rieger 753

The influence of the H_1 and H_2 receptor antagonists, terfenadine and ranitidine on the hypotensive and gastric pH effects of the histamine releasing drugs, morphine and tubocurarine
B.C. Treuren, D.C. Galletly, B.J. Robinson, T.G. Short and R.W. Ure 758

Creatinine and ^{51}Cr-EDTA clearance after liver transplantation
A.M. Burns, D.P. Hue, E.P. Wraight and G.R. Park 763

Implicit learning during enflurane anaesthesia in spontaneously breathing patients?
M. Jelicic, A.J. Asbury, K. Millar and B. Bonke 766

Intra-arterial versus intravenous regional analgesia for hand surgery
Z.J. Koscielniak-Nielsen and A. Horn 769

A preliminary assessment of epidural chloroprocaine for day procedures
R.W. Allen, J.P.H. Fee and J. Moore 773

Classification and severity of postdural puncture headache. Comparison of 26-gauge and 27-gauge Quincke needle for spinal anaesthesia in day-care surgery in patients under 45 years
M.P. Corbey, P. Berg and H. Quaynor 776

CASE REPORTS

Repeated doses of suxamethonium in the myasthenic patient
A. Baraka, M. Baroody and V. Yazbeck 782

A blind nasal intubation using a laryngeal mask airway
K.D. Thomson 785

Postpartum meningitis
L. Davis, C. Hargreaves and P.N. Robinson 788

Three diagnostic conundrums solved using the laryngeal mask airway
R. Lawson and A.R. Lloyd-Thomas 790

Pharyngeal teratoma
A.J. Moriarty and I.P. McEwan 792

APPARATUS

A comparison of keyed and non-keyed vaporizer filling modes and volatile agent wastage
D.R. Uncles 795

Noninvasive blood pressure measurements with single and twin-hose systems—do mixtures matter?
J.N. Amoore and D.H.T. Scott 799

A new epidural catheter. Closer eyes for safety?
C.B. Collier and S.P. Gatt 803

Evaluation of three portable suction devices
E.J. Simon, J.A.H. Davidson and S.J. Boom 807

REVIEW ARTICLE

The anaesthetic management of patients with dystrophic epidermolysis bullosa. A review of 44 patients over a 10 year period
R.P. Griffin and B.J. Mayou 810

FORUM

The effectiveness of pre-operative advice to stop smoking: a prospective controlled trial
I.T. Munday, P.M. Desai, C.A. Marshall, R.M. Jones, M.-L. Phillips and M. Rosen 816

CORRESPONDENCE 819

Number 10, October 1993

EDITORIAL

Arthur John Wells Beard
J. Lumley 843

ORIGINAL ARTICLES

The peri-operative management of surgical insertion and removal of the intravenous oxygenator device (IVOX). A report of nine cases
L.J. Murdoch, O.F. Boyd, J. Mackay, E.D. Bennett and R.M. Grounds 845

Effects of thiopentone, etomidate and propofol on beat-to-beat cardiovascular signals in man
G.J. Scheffer, B.J. Ten Voorde, J.M. Karemaker, H.H. Ros and J.J. De Lange 849

Epidural infusions for nulliparous women in labour. A randomised double-blind comparison of fentanyl/bupivacaine and sufentanil/bupivacaine
R. Russell and F. Reynolds 856

Effects of three different types of management on the elimination kinetics of volatile anaesthetics. Implications for malignant hyperthermia treatment
A. Reber, P. Schumacher and A. Urwyler 862

A comparison between mivacurium and suxamethonium in children
P.S. Mangat, D.E.N. Evans, M. Harmer and J.N. Lunn 866

Effect of voluntary tetanus on recovery of vecuronium block in the isolated forearm
S. Gopinath, J.R. Hood, M. Ul-Haq, N.T. Campkin and S.A. Feldman 870

The use of rocuronium (ORG 9426) in patients with chronic renal failure
K.S. Khuenl-Brady, A. Pomaroli, F. Pühringer, G. Mitterschiffthaler and J. Koller 873

Comparison of intubation following propofol and alfentanil with intubation following thiopentone and suxamethonium
G.N. Beck, G.R. Masterson, J. Richards and P. Bunting 876

Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting
O.A. Williams, F.L. Clarke, R.W. Harris, P. Smith and J.E. Peacock 881

Accuracy of a computer-based anaesthetic audit system
N. Lillywhite and P. Ward 885

CASE REPORTS

Rhabdomyolysis following life-threatening acute asthma attack
E. Visetti and P. Costa 887

Acceleration of ventricular tachycardia following propofol in a patient with heterotopic cardiac transplant. Cardioversion of ventricular tachycardia in the native heart
J.E.L. Jayamaha and J.R. Dowdle 889

Drug-induced hyperthermia
S.M. Nimmo, B.W. Kennedy, W.M. Tullett, A.S. Blyth and J.R. Dougall 892

CS gas—implications for the anaesthetist
S.T. Bhattacharya and A.W. Hayward 896

Respiratory depression following combination of epidural buprenorphine and intramuscular ketorolac
P.N. Jain and S.C. Shah 898

APPARATUS

Epidural catheters. Breaking and extraction forces
R. Davies, R.S. Vaughan and J. Richards 900

The performance of two intensive care humidifiers at high gas flows
D.A. Harrison, D.P. Breen, N.D. Harris and S.P. Gerrish 902

FORUM

Anaesthesia: cheap at twice the price? Staff awareness, cost comparisons and recommendations for economic savings
C.R. Bailey, R. Ruggier and J.N. Cashman 906

A technique of awake fibreoptic intubation. Experience in patients with cervical spine disease
V.S. Sidhu, E.M. Whitehead, Q.P. Ainsworth, M. Smith and I. Calder 910

CORRESPONDENCE 914

BOOK REVIEWS 931

INTERNATIONAL CONGRESS CALENDAR 933

HAZARD NOTICES 935

SAFETY ACTION BULLETIN 935

Number 11, November 1993

EDITORIAL

Minimally invasive therapy—implications for anaesthesia
J. G. Whitwam 937

ORIGINAL ARTICLES

Neuromuscular effects and intubating conditions following mivacurium: a comparison with suxamethonium
V. R. Maddineni, R. K. Mirakhur, E. P. McCoy, J. P. H. Fee and R. S. J. Clarke 940

Personality traits as predictors of anxiety prior to Caesarean section under regional anaesthesia
J. M. Thorp, B. W. Kennedy, K. Millar and W. Fitch 946

Eltanolone for induction of anaesthesia and to supplement nitrous oxide for minor gynaecological surgery
A. Rajah, H. Powell and M. Morgan 951

A comparison of the effect of isoflurane and propofol on arterial carbon dioxide tensions following intracranial surgery
R. Wilson, J. Berridge, E. Moss and D. Powell 955

Plasma concentrations of lignocaine after thoracic paravertebral blockade in infants and children
P. A. Lönnqvist 958

Dexamethasone reduces pain and swelling following extraction of third molar teeth
B. R. Baxendale, M. Vater and K. M. Lavery 961

An ethnic comparison of the sympathetic response to tracheal intubation
I. T. Houghton, J. M. Low, J. T. F. Lau and T. E. Oh 965

CASE REPORTS

Avoidance of intermittent positive pressure ventilation in tetanus with dantrolene therapy
M. R. Checketts and R. J. White 969

Anaesthesia for cardiomyoplasty
D. L. Greenhalgh, D. Barman and T. L. Hooper 972

Postoperative bilateral diaphragmatic paralysis and subsequent anaesthesia
R.J. Morgan 975

Subcutaneous emphysema, pneumomediastinum and pneumothorax complicating laparoscopic vagotomy. Report of two cases
P. T. Chui, T. Gin and S. C. S. Chung 978

The intraosseous route for induction of anaesthesia
I. R. Selby and M. R. James 982

APPARATUS

The Bicore pulmonary monitor. A device to assess the work of breathing while weaning from mechanical ventilation
A. J. Petros, C. T. Lamond and D. Bennett 985

REVIEW ARTICLE

Anaesthesia and rheumatoid arthritis
M. A. Skues and E. A. Welchew 989

FORUM

Blood ordering practices in obstetric units in the United Kingdom
V. A. Clark, G. J. Wardall and E. M. McGrady 998

Combined continuous spinal–epidural anaesthesia with a single interspace, double-catheter technique
M. P. Vercauteren, K. Geernaert, D. M. Vandeput and H. Adriaensen 1002

Patient evaluation of four different combinations of intravenous anaesthetics for short outpatient procedures
J. Jakobsson, E. Oddby and K. Rane 1005

CORRESPONDENCE 1008

HAZARD NOTICE 1023

EDITORIAL

A time to die?
D. P. Byrnes 1025

ORIGINAL ARTICLES

Elderly patients' preferences concerning life-support treatment
M. J. Heap, R. Munglani, J. R. Klinck and A. G. Males 1027

Haemodynamic responses to surgery in brain-dead organ donors
S. H. Pennefather, J. H. Dark and R. E. Bullock 1034

True patient-controlled sedation
L. B. Cook, G. G. Lockwood, C. M. Moore and J. G. Whitwam 1039

Left ventricular performance and cerebral haemodynamics during xenon anaesthesia. A transoesophageal echocardiography and transcranial Doppler sonography study
H. H. Luttropp, B. Romner, L. Perhag, J. Eskilsson, S. Fredriksen and O. Werner 1045

An evaluation of a new self-adhesive patch preparation of amethocaine for topical anaesthesia prior to venous cannulation in children
E. Doyle, J. Freeman, N. T. Im and N. S. Morton 1050

Bacterial growth in isoflurane vapour
J. M. Slade 1053

CASE REPORTS

Respiratory arrest following extradural sufentanil
R. Stienstra and B. J. M. Pannekoek 1055

Exertional heat stroke induced by amphetamine analogues. Does dantrolene have a place?
J. D. Watson, C. Ferguson, C. J. Hinds, R. Skinner and J. H. Coakley 1057

Concealed Wolff-Parkinson-White syndrome detected during spinal anaesthesia
K. Nishikawa, M. Mizoguchi, H. Yukioka, A. Asada and M. Fujimori 1061

Successful use of continuous veno-venous haemofiltration to treat profound fluid retention in severe peripartum cardiomyopathy
S. C. Beards, R. C. Freebairn and J. Lipman 1065

Resistance to vecuronium
J. Norman 1068

Intercostal neuralgia associated with internal mammary artery grafting
I. D. Conacher, J. C. Doig, L. Rivas and A. K. Pridie 1070

APPARATUS

Controlled ventilation with the Bain co-axial system. A rationalisation of gender-related minute volume requirements and carbon dioxide replacement therapy
D. Savva 1072

A study of laryngeal mask inflation. Pressures exerted on the pharynx
S. W. O'Kelly, K. J. Heath and E. G. Lawes 1075

A split laryngeal mask as an aid to training in fibreoptic tracheal intubation. A comparison with the Berman II intubating airway
J. R. Darling, M. Keohane and J. M. Murray 1079

A modified sensor for pulse oximetry in children
S. J. Howell, C. E. Blogg and M. W. Ashby 1083

FORUM

A comparison of epidural diamorphine with intravenous patient-controlled analgesia using the Baxter infusor following Caesarean section
P. A. Stoddart, A. Cooper, R. Russell and F. Reynolds 1086

Comparison of 2-chloroprocaine and prilocaine for intravenous regional anaesthesia of the arm: a clinical study
M. Pitkänen, J. Kyttä and P. H. Rosenberg 1091

Atelectasis and oxygenation in major surgery with either propofol with or without nitrous oxide or isoflurane anaesthesia
A. G. Jensen, S. H. Kalman, C. Eintrei, S.-G. Fransson and O. Morales 1094

Suxamethonium-induced muscle pains are not related to cholinesterase activity
J. M. Ansermino, M. A. Burke, P. M. Upton, J. McVittie and C. E. Blogg 1097

CORRESPONDENCE 1101

HAZARD NOTICE 1121

ERRATA 1122

INDEX 1124